

D. S Du Toit
Christian Psychologist



Heroin



(thai white, browns, spike, brown sugar, dope, horse, skunk, magic dragon, smack, junk, mud, black tar, H, gear, boy, dragon, Harry, nyope)



Heroin use is a lethal game of Russian roulette: infection, overdose and death are just some of the possible outcomes. Heroin enters the brain very quickly. This effect makes it very addictive. And each time you use heroin, the more you need to get high. One of the greatest risks with this drug is how extremely easy it is to become dependent. Like other opiates, heroin use blocks the brain's ability to perceive pain.

It's nearly impossible to know the actual strength or purity of heroin because it's often combined with toxic ingredients.

Heroin often has additives that will not dissolve in the bloodstream. This can easily cause a blood clot to form and travel to the lungs, liver, heart or brain, which is instantly fatal.



D.S Du Toit
Christian Psychologist







Heroin Effects

Heroin is highly addictive...



Effects of heroin intoxication:

- Shortness of breath
- Dry mouth
- Constricted (small) pupils
- Sudden changes in behaviour or actions
- Disorientation
- Cycles of hyper alertness followed by suddenly nodding off
- Droopy appearance, as if extremities are heavy



Behavioural signs of heroin addiction:

1. Lying or other deceptive behaviour
2. Avoiding eye contact, or distant field of vision
3. Substantial increases in times spent sleeping
4. Increase in slurred, garbled or incoherent speech
5. Sudden worsening of performance in school or work, including expulsion or loss of jobs
6. Decreasing attention to hygiene and physical appearance
7. Loss of motivation and apathy toward future goals
8. Withdrawal from friends and family, instead spending time with new friends with no natural tie
9. Lack of interest in hobbies and favourite activities
10. Repeatedly stealing or borrowing money from loved ones, or unexplained absence of valuables



- 11. Hostile behaviours toward loved ones, including blaming them for withdrawal or broken commitments
- 12. Regular comments indicating a decline in self-esteem or worsening body image
- 13. Wearing long pants or long sleeves to hide needle marks, even in very warm weather

Withdrawal can be intense and can include vomiting, abdominal cramps, diarrhoea, confusion, aches and sweating. Overdose may result in death from decreased breathing.



If you have more questions on heroin addiction, you may chat to me. It is a free service and you may stay anonymous.

Add me on *BBM(7C4BB895)* or *whatsapp(082 576 9286)* for professional help.



What 30 Days of HEROIN Does to You

HEART
Infection of Valves
Bacteria from dirty syringes attach to the heart valves and cannot be removed by the body. Fatigue and fever are a result.

VEINS
Collapsed Veins
Veins at the site of repeat injections swell and cut off circulation. Poor technique greatly increases the chance of vein collapse.

LIVER
Hepatitis C
An infectious disease transmitted blood-to-blood that, if left untreated, can lead to cirrhosis and liver failure.

BRAIN
Addiction
Heroin creates an especially strong addiction. Quitting cold turkey results in aches, diarrhea, vomiting, and can even cause death.

LUNGS
Pneumonia
The lungs swell and breathing is restricted. Cough, fever and chest pain result.

SKIN
Abscesses
Puss collects inside a cavity of dead skin.

\$\$\$
Cost to get high for 30 days

| Frequency | Cost |
|-----------|-------|
| 1x/day | \$210 |
| 2x/day | \$420 |
| 3x/day | \$630 |

Sources: drugfree.org/drug-guide/heroin
drugabuse.gov/researchreports/heroin/heroin3.html
emedicine.medscape.com/article/216650-overview
alcoholism.about.com/od/heroin/a/effects-LVN.htm

